

Linear Circuits and Systems

Solving Simultaneous
Linear Equations

Ahmed Dallal

Simultaneous Equations

- Simultaneous equations are as a set of equations with multiple variables that are solved together.

$$2x + y = 4$$

$$x - y = -1$$

$$2x + y - z = 9$$

$$x - y - 2z = -3$$

$$0.5x + 2y + z = 9.5$$

- The goal is to find a solution where all the equations in the system are satisfied simultaneously

2024
9/25

Methods for Solving Simultaneous Equations

- Different methods available for solving simultaneous equations:
 - 2 • Substitution Method
 - 3 • Elimination Method
 - 4 • Graphical Method
 - Matrix Method



Method of Substitution

- Solve one of the equations for one unknown in terms of the other. Then, substitute that in the other equation. That will yield one equation in one unknown, which we can solve.

- Example: Solve the following system using the method of substitution.

$$\bullet 2x + y = 4$$

$$\bullet x - y = -1$$

$$\frac{4-y}{2} - y = 1$$

Method of Substitution

Example: Solve the following system using the method of substitution

$$2x + y = 4 \rightarrow (1)$$

$$x - y = -1 \rightarrow (2)$$

Express one variable in terms of the other in equation 1.

$$2x = 4 - y$$

$$x = \frac{4-y}{2}$$

→ Substitute that in equation 2.

$$x - y = -1$$

$$\frac{4-y}{2} - y = -1$$

$$4 - y - 2y = -2$$

$$6 = 3y$$

$$y = 2$$

Method of Substitution

Since the value of y is known ($y=2$), you could find the value of x by using one of the equations.

$$2x + y = 4$$

When $y=2$,

$$2x + 2 = 4$$

$$x = 1$$

Answer: $x = 1, y = 2$



Method of Elimination

Example: Solve the same system using the method of elimination.

- $2x + y = 4$
- $x - y = -1$

• Eliminate one variable using the given two equations. For example, if the above two equations are added, y is eliminated.

$$\begin{array}{r} 2x + y = 4 \\ x - y = -1 \\ \hline 3x = 3 \\ x = 1 \end{array}$$

Substitute $x = 1$ in one of the equations to find y .

$$\begin{array}{l} 2x + y = 4 \\ 2(1) + y = 4 \\ y = 2 \end{array}$$



Graphical Method

- Only convenient when we have two variables.
- Plot the two linear equations (lines) on a graph paper
 - A line could be sketched by identifying the x , y intercepts. (Note: Only two points are required to plot a line)
- The solution to the system is identified by the intersection point of the above two lines (linear functions)
- Example: Solve the following system using the method of substitution.

- $2x + y = 4$
- $x - y = -1$

$$y = 4 - 2x$$

$$y = x + 1$$



$$x = 1$$

$$y = 2$$



Acknowledgement

This material is based upon work partially supported by the National Science Foundation under Grant# 2335802. Any opinions, findings, and conclusions, or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation.



You are free

- to **Share** – to copy, distribute, display and perform the work
- to **Remix** – to make derivative works

Under the following conditions

- **Attribution** — You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).
- **Noncommercial** — You may not use this work for commercial purposes.
- **Share Alike** — If you alter, transform, or build upon this work, you may distribute the resulting work only under the same or similar license to this one.





THE END

